



Building product declaration

according to BPD associations' standardised format eBVD

2023-05-04 14:06:24

Jönåkerpannan

1. COMPANY INFORMATION

BMI Sverige AB

Company name:

BMI Sverige AB

Organisation number:

556013-0709

Address:

Pulpetgatan 20

Contact person:

Lars Åhsberg

E-mail:

lars.ahsberg@bmigroup.com

Telephone:

070-6045046

VAT number:

Website:

<https://bmisverige.se/>

GLN:

DUNS:

Company was last saved

2024-12-11 09:55:43

Company's certification



ISO 9001



ISO 14001

Other:

Bitumentätskiktproduktionen i Malmö är certifierad enligt ISO 9001.

Policies and guidelines



The company has a code of conduct/policy/guidelines for dealing with social responsibility in the supplier chain, including procedures for ensuring the requirements



This is third-party audited

If yes, which if the following guidelines have you affiliated to or management system you have implemented



UN guiding principles for companies and human rights



ILO's eight core conventions



OECD Guidelines for Multinational Enterprises



UN Global Compact



ISO 26000

Other policy guidelines

Management system

If you have a management system for corporate social responsibility, what out of the following is included in the work?

- ☐ Mapping
- ☐ Risk analysis
- ☐ Action plan
- ☐ Monitoring

Sustainability reporting guidelines:

Enligt Årsredovisningslagen (1995:554)

2. ARTICLE INFORMATION

Document data

Id:

C-SE556336246501-14

Version:

5

Created:

2023-05-04 14:03:26

Last saved:

2023-05-04 14:06:24

Changes relates to:

Redigerat innehållsdeklarationen.

Jönåkerpannan

Article name:

Jönåkerpannan

Article No/ID concept

Article identity: GTIN

4031486296928, 4031486296959, 4031486296980, 6415920026377, 6415920026384, 6415920041288, 6415920063532, 6415920063549, 6415920375857, 6415920375895, 6415920375932, 6415920376052, 6415920376113, 6415920376175, 6415920376915, 6415920376939, 6415920376953, 6415920378230, 6415920378278, 6415920378308, 6415920387331, 6415920387362, 6415920387379, 6415920387393, 6415920388109, 6415920388116, 6415920388147, 6415920388185, 6415920388192, 6415920388222, 6415920391000, 6415920407602, 6415920407619, 6415920408661, 6415920408678, 6415920408685, 6415920408845, 6415920408852, 6415920408869, 6415920408937, 6415920408944, 6415920412842, 6415920413009, 6415920412910, 6415920412941, 6415920413030, 6415920413122, 6415920413184, 6415920413368, 6415920413405, 6415920413429, 6415920413467, 6415920414044, 6415920414068, 6415920414075, 6415920414099, 6415920418356, 6415920418417, 6415920418462, 6415920428232, 6415920428249, 6415920431324, 6415920446489, 6415920446496, 6415920449237, 7391738132051, 7391738132068, 7391738132075, 7391738132112

Product group/Product group classification

Product group system	Product group id
BK04	01601

Article description:

Jönåkerpannan är en betongtakpanna som kan erhållas i tre olika ytbehandlingar; Protector, Polar och Elegant. Alla typerna tillverkas i och levereras från BMI:s fabrik i Jönåker. Denna byggvarudeklaration avser alla tre typerna.

Jönåker Protector är en klassisk betongpanna i rena, klara färger och med en glansig yta. Jönåker Protector har en unik ytbehandling som gör att färgen håller länge vilket gör att taket ser nytt ut längre. Pannan är genomfärgad, lackerad i två steg.

Jönåker Polar är en klassisk betongpanna med en matt och extra tålig yta som ger ett slitstarkt, vackert tak. Pannan finns i en naturlig och omsorgsfullt utvald färgskala. Den matta ytan och de mjuka färgerna gör Jönåker Polar till ett bra val vid renovering av äldre hus. Dessutom är ytan värmereflekterande, vilket bidrar till ett behagligare inomhusklimat under sommaren. Pannan är genomfärgad och lackerad i två steg.

Jönåker Elegant är en klassisk och populär svensktillverkad betongpanna som är lätt att lägga. Jönåker Elegant är genomfärgad och lackeras i två steg för lång hållbarhet.

Declarations of performance:

Yes

Declaration of performance number:

Jönåkerpannan-01-SE

Other information:

Annexes

Annex

<https://bmipimngprodffe.azureedge.net/sys-master-hybris-media/h71/hfa/9006241021982/DOP-Jonakerpannan-V3pdf>

3. CHEMICAL CONTENT

The data provider is solely responsible for data on articles/products that have been registered in the database. The data provider and the Swedish Association of Construction Product Industries cannot be held responsible for correct information incorrectly entered into the database.

Chemical content

Does the declaration apply to a product or chemical product?

product

Enter chemical content for the whole article. The concentration is calculated at component level according to the principle of "once an article always an article".

Is there a safety data sheet for the article?

Not applicable

Is there classification of the article?

Not applicable

If yes, indicate the classification of the product under Regulation (EC) No

Enter which version of the candidate list has been used (Year, month, day)

2023-01-30

The article is covered by the RoHS Directive:

No

Enter the weight of the article:

4 kg

Enter how large a proportion of the material content has been declared [%]:

100

If 100% material content is not declared, please state the reason

If the article contains nanomaterials deliberately added to obtain a particular function, enter these here:

Nej

Has the presence of nanomaterials deliberately added to notifiable chemical products been reported to the Product Register

No

Enter the proportion of volatile organic substances [g/litre], applies only to sealants, paints, varnishes and adhesives:

Article and/or sub-components

Phase	Delivery
Component	Ballast
Weight% of product	

Comment

Material	Substance	Concentration interval (%)	EG/CAS/Alternative designation	Other substance properties
Naturgrus	Kiseldioxid(amorf)	70<x<75	7631-86-9	

CAS	H-phrased	Exposure
7631-86-9	H332 - Acute Tox. 4	

Component	Bindemedel	Weight% of product
-----------	------------	--------------------

Comment

Material	Substance	Concentration interval (%)	EG/CAS/Alternative designation	Other substance properties
Cement	Portlandcement	19<x<21	65997-15-1	
Comment: Ingen kommentar				

CAS	H-phrase	Exposure
65997-15-1	H315 - Skin Irrit. 2	
65997-15-1	H318 - Eye Dam. 1	
65997-15-1	H332 - Acute Tox. 4	
65997-15-1	H335 - STOT SE 3	

Component	Färgpigment	Weight% of product
-----------	-------------	--------------------

Comment

Material	Substance	Concentration interval (%)	EG/CAS/Alternative designation	Other substance properties
Färgpigment	Järn(III)oxid	<1	1309-37-1	

Component	Ytbehandlingsfärg	Weight% of product
-----------	-------------------	--------------------

Comment

Material	Substance	Concentration interval (%)	EG/CAS/Alternative designation	Other substance properties
Akrylatfärg		3<x<5		
Akrylatfärg	Titandioxid	<0.005	13463-67-7	Phasing-out substance

CAS	H-phrase	Exposure
13463-67-7	H351 - Carc. 2	

Phase	Mounted
-------	---------

Component	Ballast	Weight% of product
-----------	---------	--------------------

Comment

Material	Substance	Concentration interval (%)	EG/CAS/Alternative designation	Other substance properties
Naturgrus	Kiseldioxid(amorf)	70<x<75	7631-86-9	

CAS	H-phrase	Exposure
7631-86-9	H332 - Acute Tox. 4	

Component	Bindemedel	Weight% of product
-----------	------------	--------------------

Comment

Material	Substance	Concentration interval (%)	EG/CAS/Alternative designation	Other substance properties
Cement	Portlandcement	19<x<21	65997-15-1	
Comment: Ingen kommentar				

CAS	H-phrase	Exposure
65997-15-1	H315 - Skin Irrit. 2	
65997-15-1	H318 - Eye Dam. 1	
65997-15-1	H332 - Acute Tox. 4	
65997-15-1	H335 - STOT SE 3	

Component	Färgpigment	Weight% of product
-----------	-------------	--------------------

Comment

Material	Substance	Concentration interval (%)	EG/CAS/Alternative designation	Other substance properties
Färgpigment	Järn(III)oxid	<1	1309-37-1	

Component	Ytbehandlingsfärg	Weight% of product
-----------	-------------------	--------------------

Comment

Material	Substance	Concentration interval (%)	EG/CAS/Alternative designation	Other substance properties
Akrylatfärg		3<x<5		
Akrylatfärg	Titandioxid	<0.005	13463-67-7	Phasing-out substance

CAS	H-phrase	Exposure
13463-67-7	H351 - Carc. 2	

Other information:

4. RAW MATERIALS

Is there supporting documentation for the raw materials for third-party certified system for control of origin, raw material extraction, manufacturing or recycling processes or similar (for example BES 6001:2008, EMS certificate, USGBC Program)? If yes, enter system(s):

Raw materials

Total recycled material in the article

☐ Is recycled material included in the article?

Renewable material

Enter proportion of renewable material in the article

☐ Included biobased raw material is tested according to ASTM test method D6866:

Origin of raw material

For this product, there has been no withdrawal of virgin fossil material

No

If yes, please indicate the maximum percentage of virgin fossil material that can be included in the material (or item) in question

Wood raw materials

☐ Wood raw materials are included

☐ Included wood raw material is certified

How large a proportion is certified [%]?

What certification system has been used (for example FSC, CSA, SFI with CoC, PEFC)?

Reference number:

Enter logging country for the wood raw material and that following criteria have been met. Country of logging:

☐ Does not contain type of wood or origin in CITES appendix of endangered species

Which version of CITES has been used for the check?

☐ The timber has been logged legally and there is certification for this

5. ENVIRONMENTAL IMPACT

Environmental impact during life cycle of the article, production phase module A1-A3 under EN

☒ Has environmental product declaration been drawn up according to EN 15804 or ISO 14025 for the article?

These product-specific rules, known as PCR, have been applied:

Registration number / ID number for EPD:

The International EPD System PCR for Construction 2019:14, version

S-P-07747

If there is environmental product declaration or other life cycle assessment, describe how the environmental impact of the article is taken into account from a life cycle perspective:

6. DISTRIBUTION

Distribution of finished article

Does the supplier apply any system with multiple-use packaging for the article?

Yes

Does the supplier take back packaging for the article?

Yes

Is the supplier affiliated to a system for product responsibility for packaging?

Yes

If yes, which packaging and which system?

Leverantören är ansluten till FTI. Träpall återanvänds genom retursystem.

Can packaging/packaging be reused?

Yes

Can packaging/packaging be recycled?

Yes

Can packaging/packaging be energy recycled?

Yes

Does the supplier use Retursystem Byggpall?

Yes

Other information:

Träpall återanvänds genom retursystem.

Plastband, sträckfilm (plast), plasmellanlägg kan materialåtervinnas/energiåtervinnas.

7. CONSTRUCTION PHASE

Construction phase

Does the article make special requirements in storage?

No

Specify

Does the article make special requirements for surrounding building products?

No

Specify

Other information:

8. USE PHASE

Use phase

Does the article make requirements for input materials for operation and maintenance?

No

Specify:

Does the article require supply of energy during operation?

No

Specify:

Estimated technical service life for the article:

>50 years

Comment:

Is there energy labelling under the Energy Labelling Directive (2010/30/EU) for the article?

Not applicable

If yes, enter labelling (G to A, A+, A++, A+++):

If yes, enter marking (G to A)

Other information:

9. DEMOLITION

Demolition

Is the article prepared for disassembly (dismantling)?

Not applicable

Can the product be separated into pure material types for recycling?

Yes

Specify:

Hela varan kan återanvändas förutsatt att dess tekniska livslängd inte uppnåtts alternativt materialåtervinnas som ballastersättning eller massor för anlägg

Does the article require special measures for protection of health and environment in demolition/disassembly?

No

Specify:

Other information:

10. WASTE MANAGEMENT

Delivered article

Is the supplied article covered by the Ordinance (2014:1075) on producer responsibility for electrical and electronic products when it becomes waste?

No

Is reuse possible for the whole or parts of the article when it becomes waste?

Yes

Specify:

Produktens tekniska livslängd är längre än det för byggnadsdelen normala renoverings/underhållsintervallet.

Is material recovery possible for the whole or parts of the article when it becomes waste?

Yes

Specify:

Jönåkerpannan är återvinningsbar som ballastersättning vid tillverkning av t.ex. nya betongtakpannor.

Is energy recovery possible for the whole or parts of the article when it becomes waste?

Not applicable

Specify:

Does the supplier have restrictions and recommendation for re-use, material or energy recovery or landfilling?

No

Specify:

Waste code for the delivered article when it becomes waste

170101 - 01 Betong.

When the supplied article becomes waste, is it classified as hazardous waste?

No

Mounted article

Is the mounted article classified as hazardous waste?

No

Other information

11. INDOOR ENVIRONMENT

Indoor environment



The article is not intended for indoor use



The article does not emit any substances



Emissions from the article not measured

Does the article have a critical moisture state?

No

If yes, state what:

Noise

Can the article give rise to own noise?

Not applicable

Value:

Unit:

Measuring method:

Electrical field

Can the article give rise to electrical fields?

Not applicable

Value:

Unit:

Measuring method:

Magnetic fields

Can the article give rise to magnetic fields?

Not applicable

Value:

Unit:

Measuring method:

Paints and varnishes



The article is resistant to fungi and algae in use in wet areas

Emissions

The article produces the following emissions in intended use:

Other information